Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	(((capsule housing channel canal) near4 cavity) near4 (pressure near4 (transducer sens\$4 measur\$4 detect\$4 detemin\$4)) and feedthrough near4 pin).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 15:06
S2	107	((capsule housing channel canal) near4 cavity) near4 (pressure near4 (transducer sens\$4 measur\$4 detect\$4 detemin\$4)) .clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 15:14
S3	3	((capsule housing channel canal) near4 cavity) near4 (pressure near4 (transducer sens\$4 measur\$4 detect\$4 detemin\$4)) .clm. and pacing near4 lead	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 15:15
S4	25	((capsule housing channel canal) near4 cavity) near4 (pressure near4 (transducer sens\$4 measur\$4 detect\$4 detemin\$4)) and lead.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 16:11
S5	2	S4 and passivat\$4.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 16:13
S6	9	S4 and insulat\$4.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 16:14
S7	1	S4 and insulat\$4 near4 ferrule.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 16:44
S8	4	S4 and (sleeve sheath)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 09:54
S9	2	("6453749").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/11/13 12:11

S10	2	("6742387").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/11/13 12:16
S11	11	(("4926156") or ("4898476") or ("4564882") or ("4429343") or ("4263576")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/11/13 12:39
S12	11	(("4926156") or ("4898476") or ("4564882") or ("4429343") or ("4263576")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/11/13 12:41
S13	6051	humidity near4 (sens\$4 measur\$4 detect\$4 transducer determin\$4).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 12:42
S14	572	S13 and "73"/\$7.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 12:43
S15	13	S14 and resin.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 12:47
S16	2	S14 and resin near4 (conductor terminal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 16:18
S17	295	73/861.52.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 16:22
S18	8	perforat\$43 near4 plate and S17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 16:20
S19	148	S17 and restric\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 16:21

S20	21169	73/7\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 16:22
S21	1499	S20 and fluid near4 (flow measurement)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 16:24
S22	30	S21 and (conditioner straightener)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 17:02
S23	96	S20 and venturi	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 16:33
S24	1	S23 and (conditioner straightener)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 16:25
S25	210	73/204.21.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 16:43
S26	64	S25 and plate	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 16:50
S27	4	S25 and plate near4 (aperture hole)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 16:51
S28	674	S20 and plate near4 (aperture hole)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 16:51
S29	178	S20 and plate near4 (aperture hole).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:20

S30	1	S20 and (plate near4 (aperture hole)) near4 (flow near4 path).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 16:54
S31	1	S20 and (plate near4 (aperture hole)) near4 ((flow fluid) near4 (passage\$6 path)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 16:56
S32	21174	73/7\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:20
S33	178	S32 and plate near4 (aperture hole).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 16:59
S34	42	S33 and (plurality mulipl\$4 many several)near4 (perforat\$4 plate)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:51
S35	0	S33 and (plurality mulipl\$4 many several)near4 (perforat\$4 near4 plate)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 15:56
S36	0	S33 and (aperture hole) near4 oblique.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 16:15
S37	0	S33 and (aperture hole) near4 etch\$4.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 16:16
S38	4	S33 and (aperture hole) near4 etch\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 16:50
S39	1	S33 and (aperture hole) near4 beveled	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 16:50

640		GDD 1/ (t-t-)	140 00045			2006/44/44 46 70
S40	82	S33 and (pipe tube)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 16:59
S41	1501	S32 and fluid near4 (flow measurement)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 17:02
S42	30	S41 and (conditioner straightener)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 17:03
S43	18	S42 and (pipe tube)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 17:02
S44	30	S41 and (conditioner straightener)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 17:06
S45	4	S32 and (conditioner straightener) and (plurality multip\$4) near4 (pipe tube)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 17:07